

Product name SPLASH JET – SUBLY SERIES	Code																												
<p>1. Identification of the Product</p> <p>Identification of the Product Piezo sublimation ink (C.I. Mixture)</p> <p>Use Digital Textile Printing Industry</p> <p>Company Identification VISCOSMO CO.,LTD 4F, #1589-6, Chungryongdong, Kwanakgu, Seoul, KOREA, 151846 Phone :+82 2 875 1770 Fax : +82 2 875 1870</p>																													
<p>2. Composition/Information on Ingredients</p> <table border="1"> <thead> <tr> <th data-bbox="134 846 667 880">Chemical Characterisation</th> <th data-bbox="667 846 906 880">CAS Number</th> <th data-bbox="906 846 1177 880">EINECS Number</th> <th data-bbox="1177 846 1463 880">Ratio (%)</th> </tr> </thead> <tbody> <tr> <td data-bbox="134 891 667 925">Organic dye stuffs (Yellow)</td> <td data-bbox="667 891 906 925">7576-65-0</td> <td data-bbox="906 891 1177 925"></td> <td data-bbox="1177 891 1463 925">4.0</td> </tr> <tr> <td data-bbox="134 936 667 969">Organic dye stuffs (Magenta)</td> <td data-bbox="667 936 906 969">17418-58-5</td> <td data-bbox="906 936 1177 969"></td> <td data-bbox="1177 936 1463 969">5.0</td> </tr> <tr> <td data-bbox="134 981 667 1014">Organic dye stuffs (Cyan)</td> <td data-bbox="667 981 906 1014">62570-50-7</td> <td data-bbox="906 981 1177 1014"></td> <td data-bbox="1177 981 1463 1014">5.0</td> </tr> <tr> <td data-bbox="134 1025 667 1059">Organic dye stuffs (Black)</td> <td data-bbox="667 1025 906 1059">-</td> <td data-bbox="906 1025 1177 1059"></td> <td data-bbox="1177 1025 1463 1059">5.0</td> </tr> <tr> <td data-bbox="134 1070 667 1104">Glycerin</td> <td data-bbox="667 1070 906 1104">56-81-6</td> <td data-bbox="906 1070 1177 1104"></td> <td data-bbox="1177 1070 1463 1104">20.0</td> </tr> <tr> <td data-bbox="134 1115 667 1149">water</td> <td data-bbox="667 1115 906 1149">7732-18-5</td> <td data-bbox="906 1115 1177 1149"></td> <td data-bbox="1177 1115 1463 1149">balance</td> </tr> </tbody> </table>		Chemical Characterisation	CAS Number	EINECS Number	Ratio (%)	Organic dye stuffs (Yellow)	7576-65-0		4.0	Organic dye stuffs (Magenta)	17418-58-5		5.0	Organic dye stuffs (Cyan)	62570-50-7		5.0	Organic dye stuffs (Black)	-		5.0	Glycerin	56-81-6		20.0	water	7732-18-5		balance
Chemical Characterisation	CAS Number	EINECS Number	Ratio (%)																										
Organic dye stuffs (Yellow)	7576-65-0		4.0																										
Organic dye stuffs (Magenta)	17418-58-5		5.0																										
Organic dye stuffs (Cyan)	62570-50-7		5.0																										
Organic dye stuffs (Black)	-		5.0																										
Glycerin	56-81-6		20.0																										
water	7732-18-5		balance																										
<p>3. Hazards Identification</p> <p>Risk Phrase(s)</p> <p>Symptoms Relating to Use Dust from the product, if present, may cause respiratory irritation following an excessive inhalation exposure.</p> <p>- Inhalation</p> <p>- Skin Contact Not expected to present a significant skin hazards under anticipated conditions of normal use.</p> <p>- Eye Contact Not expected to present a significant eye hazards under anticipated conditions of normal use.</p> <p>- Ingestion Not expected to present a significant ingestion hazards under anticipated conditions of normal use.</p>																													
<p>4. Emergency and first aid measures</p> <p>General advice</p> <p>- If Inhaled Remove to fresh air</p> <p>- On Skin Contact Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse</p> <p>- On Contact with Eyes In case of contact with eyes, rinse immediately with plenty of water and seek medical advice</p> <p>- On Ingestion Rinse mouth</p>																													

MATERIAL SAFETY DATA SHEET

According to 93/112/EEC

Product name SPLASH JET – SUBLY SERIES	Code													
5. Fire-Fighting Measures <table border="0" style="width: 100%;"> <tr> <td style="width: 40%;">Extinguishing media</td> <td>Not Flammable</td> </tr> <tr> <td>Special exposure hazards</td> <td>Not Flammable</td> </tr> <tr> <td>Protection against fire</td> <td>Not Flammable</td> </tr> </table>		Extinguishing media	Not Flammable	Special exposure hazards	Not Flammable	Protection against fire	Not Flammable							
Extinguishing media	Not Flammable													
Special exposure hazards	Not Flammable													
Protection against fire	Not Flammable													
6. Accidental release measures <table border="0" style="width: 100%;"> <tr> <td style="width: 40%;">Personal precautions</td> <td>Wear suitable protective clothing and gloves.</td> </tr> <tr> <td>Environmental precautions</td> <td>Comply with local regulations for container disposal. Notify authorities if product enters sewers or public waters.</td> </tr> <tr> <td>After spillage / leakage</td> <td>Sweep or shovel spills into appropriate container for disposal.</td> </tr> </table>		Personal precautions	Wear suitable protective clothing and gloves.	Environmental precautions	Comply with local regulations for container disposal. Notify authorities if product enters sewers or public waters.	After spillage / leakage	Sweep or shovel spills into appropriate container for disposal.							
Personal precautions	Wear suitable protective clothing and gloves.													
Environmental precautions	Comply with local regulations for container disposal. Notify authorities if product enters sewers or public waters.													
After spillage / leakage	Sweep or shovel spills into appropriate container for disposal.													
7. Handling and storage <table border="0" style="width: 100%;"> <tr> <td style="width: 40%;">Storage</td> <td>Keep away from heat. Keep container closed when not in use.</td> </tr> <tr> <td>Handling</td> <td>Avoid all unnecessary exposure. Handle in accordance with good industrial hygiene and safety procedures.</td> </tr> </table>		Storage	Keep away from heat. Keep container closed when not in use.	Handling	Avoid all unnecessary exposure. Handle in accordance with good industrial hygiene and safety procedures.									
Storage	Keep away from heat. Keep container closed when not in use.													
Handling	Avoid all unnecessary exposure. Handle in accordance with good industrial hygiene and safety procedures.													
8. Exposure Controls / Personal Protection <table border="0" style="width: 100%;"> <tr> <td style="width: 40%;">Personal protection</td> <td rowspan="2">Approved dust or mist respirator should be used if airborne particulate is generated when handling this material.</td> </tr> <tr> <td>- Respiratory protection</td> </tr> <tr> <td></td> <td>Gloves</td> </tr> <tr> <td>- Skin protection</td> <td>Chemical goggles or safety glasses.</td> </tr> <tr> <td>- Eye protection</td> <td>When using, do not eat, drink or smoke.</td> </tr> <tr> <td>- Ingestion</td> <td>Local exhaust is recommended where dusting may occur.</td> </tr> <tr> <td>Industrial hygiene</td> <td></td> </tr> </table>		Personal protection	Approved dust or mist respirator should be used if airborne particulate is generated when handling this material.	- Respiratory protection		Gloves	- Skin protection	Chemical goggles or safety glasses.	- Eye protection	When using, do not eat, drink or smoke.	- Ingestion	Local exhaust is recommended where dusting may occur.	Industrial hygiene	
Personal protection	Approved dust or mist respirator should be used if airborne particulate is generated when handling this material.													
- Respiratory protection														
	Gloves													
- Skin protection	Chemical goggles or safety glasses.													
- Eye protection	When using, do not eat, drink or smoke.													
- Ingestion	Local exhaust is recommended where dusting may occur.													
Industrial hygiene														

Product name SPLASH JET – SUBLY SERIES	Code																						
9. Physical and Chemical Properties <table> <tr> <td>Appearance and physical state</td> <td>Water base Liquid</td> </tr> <tr> <td>Colour</td> <td>Black / Blue / Red / Yellow</td> </tr> <tr> <td>Viscosity(cp)</td> <td><10</td> </tr> <tr> <td>Particle size(mean diameter)</td> <td><0.2 μm</td> </tr> <tr> <td>pH value</td> <td>7.0 ~ 10.0</td> </tr> <tr> <td>Boiling point</td> <td>~100 °C</td> </tr> <tr> <td>Solubility in water</td> <td>Miscible</td> </tr> <tr> <td>Melting Point</td> <td>~0 °C</td> </tr> <tr> <td>Volatiles</td> <td>N/E</td> </tr> <tr> <td>Volatile organic compounds (VOC)</td> <td>N/E</td> </tr> <tr> <td>Flash Point</td> <td>N/E</td> </tr> </table>		Appearance and physical state	Water base Liquid	Colour	Black / Blue / Red / Yellow	Viscosity(cp)	<10	Particle size(mean diameter)	<0.2 μm	pH value	7.0 ~ 10.0	Boiling point	~100 °C	Solubility in water	Miscible	Melting Point	~0 °C	Volatiles	N/E	Volatile organic compounds (VOC)	N/E	Flash Point	N/E
Appearance and physical state	Water base Liquid																						
Colour	Black / Blue / Red / Yellow																						
Viscosity(cp)	<10																						
Particle size(mean diameter)	<0.2 μm																						
pH value	7.0 ~ 10.0																						
Boiling point	~100 °C																						
Solubility in water	Miscible																						
Melting Point	~0 °C																						
Volatiles	N/E																						
Volatile organic compounds (VOC)	N/E																						
Flash Point	N/E																						
10. Stability and reactivity <table> <tr> <td>Hazardous decomposition products</td> <td>Burning can produce CO_x , SO_x , NO_x.</td> </tr> <tr> <td>Hazardous reactions</td> <td>Stable</td> </tr> <tr> <td>Hazardous properties</td> <td>None</td> </tr> <tr> <td>Materials to avoid</td> <td>Strong reducing agents</td> </tr> </table>		Hazardous decomposition products	Burning can produce CO _x , SO _x , NO _x .	Hazardous reactions	Stable	Hazardous properties	None	Materials to avoid	Strong reducing agents														
Hazardous decomposition products	Burning can produce CO _x , SO _x , NO _x .																						
Hazardous reactions	Stable																						
Hazardous properties	None																						
Materials to avoid	Strong reducing agents																						
11. Toxicological information <table> <tr> <td>Rat oral LD50 [mg/kg]</td> <td>> 9000mg/kg</td> </tr> <tr> <td>Rabbit dermal LD50 [mg/kg]</td> <td>No data available</td> </tr> <tr> <td>Rat inhalation LC50 [mg/1/4h]</td> <td>No data available</td> </tr> <tr> <td>Dermal irritation (rabbit)</td> <td>Not irritant</td> </tr> </table>		Rat oral LD50 [mg/kg]	> 9000mg/kg	Rabbit dermal LD50 [mg/kg]	No data available	Rat inhalation LC50 [mg/1/4h]	No data available	Dermal irritation (rabbit)	Not irritant														
Rat oral LD50 [mg/kg]	> 9000mg/kg																						
Rabbit dermal LD50 [mg/kg]	No data available																						
Rat inhalation LC50 [mg/1/4h]	No data available																						
Dermal irritation (rabbit)	Not irritant																						
12. Ecological information <table> <tr> <td>LC50 [mg/l]</td> <td></td> </tr> <tr> <td>WGK (Water risk class)</td> <td></td> </tr> <tr> <td>Biodegradation [%]</td> <td></td> </tr> <tr> <td>AOX</td> <td></td> </tr> </table>		LC50 [mg/l]		WGK (Water risk class)		Biodegradation [%]		AOX															
LC50 [mg/l]																							
WGK (Water risk class)																							
Biodegradation [%]																							
AOX																							
13. Disposal considerations Disposal <p style="text-align: right;">Dispose in accordance with local/national regulations.</p>																							

Product name SPLASH JET – SUBLY SERIES	Code												
14. Transport information General information Not regulated - No hazardous product													
15. Regulatory information <table data-bbox="188 683 1437 949"> <tr> <td>Symbol(s)</td> <td colspan="2">None</td> </tr> <tr> <td>R Phrase(s)</td> <td colspan="2">R43 May cause sensitisation by skin contact</td> </tr> <tr> <td>S Phrase(s)</td> <td>S22 Do not breathe dust.</td> <td>S24 Avoid contact with skin.</td> </tr> <tr> <td></td> <td>S25 Avoid contact with eye.</td> <td></td> </tr> </table>		Symbol(s)	None		R Phrase(s)	R43 May cause sensitisation by skin contact		S Phrase(s)	S22 Do not breathe dust.	S24 Avoid contact with skin.		S25 Avoid contact with eye.	
Symbol(s)	None												
R Phrase(s)	R43 May cause sensitisation by skin contact												
S Phrase(s)	S22 Do not breathe dust.	S24 Avoid contact with skin.											
	S25 Avoid contact with eye.												
16. Other information Recommended uses and restrictions None													
<p>The contents and format of this MSDS are in accordance with EEC Commission Directive 93/112/EEC.</p> <p>DISCLAIMER OF LIABILITY: The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.</p> <p style="text-align: right;">End of document</p>													