

# Material Safety Data Sheet

Date : Jul. 24. 2012

## 1. Product Identification

Product name	Textile Pretreatment Solution (TWP-PC)
Manufacturer	VISCOSMO Co.
Address	4F, #1589-6, Chungryongdong, Kwanakgu, Seoul, - KOREA Phone : +82 2 875 1770

## 2. Composition/Information on Ingredients

Ingredient	CAS No	%
Acrylic Polymer	-	5-15%
Inorganic Nitrate		5-15%
Water	7732-18-5	60-70%

## 3. Hazards Identification

### 3.1 Emergency Overview

Harmful if swallowed, inhaled or absorbed through skin.

Causes irritation to eyes and respiratory tract.

Health Rating : 1

Reactivity Rating : 0

Flammability : 0

Remaining components unknown, or <1%

### 3.2 Potential Health Effects

Inhalation : Inhalation of vapors may cause irritation, headache, dizziness, fatigue, nausea, vomiting, and loss of appetite. Weakness, incoordination and tremors may occur.

Ingestion : Swallowing may cause nausea, vomiting, abdominal pain, breathing difficulties, weakness. Liver and kidney damage may result from swallowing large quantities of the material.

Skin Contact : May be absorbed through the skin with possible systemic effects.

Eye Contact : May cause irritation, redness and pain.

## 4. First Aid Measures

**Inhalation :** Not applicable.

**Ingestion :** Induce vomiting immediately as directed by medical personnel.

**Skin Contact :** Immediately flush skin with plenty of soap and water for at least 15minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

**Eye Contact :** Flush eyes thoroughly with water, seek medical attention if irritation persists.

## 5. Fire-Fighting Measures

### Extinguishing Media :

Water fog or fine spray. Carbon dioxide. Dry chemical fire extinguishers.  
Foam. Alcohol resistant foams are preferred. General purpose synthetic foams or protein foams may function, but will be less effective.

### Special procedures :

Wear self-contained breathing apparatus and protective clothing

### Unusual Fire and Expulsion Hazards :

None Known.

## 6. Accidental Release Measures

### Personal Precautions :

Respiratory protection, hand protection

### Environmental Precautions :

Do not let product enter drains.

## 7. Handling and Storage

### Handling :

Wash thoroughly after handling.  
Avoid contact with eyes, skin, and clothing. Keep container tightly closed.

### Storage :

Store in a tightly closed container.  
Keep container closed.

## 8. Exposure Controls/Personal Protection

### Exposure Guidelines :

A "skin" notation following the exposure guideline refers to the potential for dermal absorption of the material including mucous membranes and the eyes either by contact with vapors or by direct skin contact.

### Engineering Controls :

Provide general and/or local exhaust ventilation to control airborne levels below the exposure guidelines.

### Personal Protective Equipment :

Respiratory Protection : For Most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator.  
In misty atmospheres, use an approved particulate respirator.  
For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

Protective Clothing : Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, gloves, boots, apron, or full body-suit will depend on operation.  
Remove contaminated clothing immediately, wash skin area with soap and water, and launder clothing before reuse or dispose of properly.

Hand/Skin Protection : Wear gloves made butyl rubber, Neoprene..

Eye/Face Protection : Use safety glasses. If exposure causes eye discomfort, use a full-face respirator.

## 9. Physical and Chemical Properties

Appearance/Odor : Colored liquid, Fruity odor

Boiling Point , °C	: 115 °C	Vapor Pressure mmHg	: 0.001 mmHg
Melting Point, °C	: -10 °C	Specific Gravity	: 1.0
Flash Point, °C	: non	Water Solubility	: Complete
Vapor Density (Air=1)	:	Evaporation Rate	: < Butyl Acetate

## 10. Stability and Reactivity

**Stability :** Stable under ordinary conditions of use and storage.

**Conditions to Avoid :** Flammable vapors can be released at ambient temperatures.

**Materials to Avoid :** Avoid contact with metals such as :Zinc, Magnesium, Aluminum,  
Avoid contact with oxidizing materials

## 11. Toxicological Information

**Toxicological Data :** Not data available

**Irritation :** Skin : Prolonged contact is essentially nonirritating to skin.  
Eyes : May cause slight eye irritation. Effects may include: Discomfort. Redness.

**Inhalation :** Excessive exposure may cause irritation to upper respiratory tract

## 12. Ecological Information

### Environmental Fate :

When released into the soil, this material may evaporate to a moderate extent, may leach into groundwater, may biodegrade to a moderate extent.  
This material is harmful to aquatic organisms.

## 13. Disposal Considerations

Any disposal practice must be in compliance with all local and national laws and regulations.

### Disposal :

Incinerate under controlled conditions in accordance with all local and national laws and regulations.

### Contaminated Packaging :

Empty containers can only be disposed of when the remaining product adhering to the container walls has been removed. Remove all labels.

## 14. Transport Information

Any transportation's practice must be in compliance with local, state or federal laws and regulations.  
Not classified as hazardous under transport regulations

## 15. Regulatory Information

### R-Codes

22 Harmful by inhalation and in contact with skin and if swallowed.

### S-Codes

46 If swallowed, seek medical advice immediately and show this container of label.

## 16. Other Information

The information herein is given in good faith, but no warranty express or implied, is made.  
Recipients of our product must take responsibility for observing existing laws and regulations.